भारतीय मानक Indian Standard

एल्यूमीनियम के इंगट, बिलेट एवं तार की छड़ें (ई सी ग्रेड)

IS 4026 : 2023

(पाँचवा पुनरीक्षण)

Aluminium Ingots, Billets and Wire Bars (EC GRADE)

(Fifth Revision)

ICS 77.150.10

© BIS 2023



भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

Ores and Feedstock for Aluminium Industry, its Metals/Alloys and Products Sectional Committee, MTD 07

FOREWORD

This Indian Standard (Fifth Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Ores and Feedstock for Aluminium Industry, its Metals/Alloys and Products Sectional Committee had been approved by the Metallurgical Engineering Division Council.

This standard was first published in 1967 and subsequently revised in 1969, 1978, 1987 and 2007. While reviewing this standard in the light of experience gained during these years, the Sectional Committee decided to revise the standard.

In this revision, the following significant changes have been made:

- a) Definition of scrap added;
- b) A new clause on ordering information added;
- c) A new grade of aluminium alloy added; and
- d) 'Rejection and retest' and 'Packaging clause' added.

The composition of the Committee responsible for the formulation of this standard is listed in Annex A.

For the purpose of deciding whether particular requirement of this standard is complied with the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2: 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

ALUMINIUM INGOTS, BILLETS AND WIRE BARS (EC GRADE)

(Fifth Revision)

1 SCOPE

This standard covers the requirements of four EC grades of aluminium ingots, billets and wire bars.

2 REFERENCES

The following standards contain provisions which through reference in this text, constitute provision of this standard. At the time of publication, the editions indicted were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards listed below:

| IS No. | Title |
|-----------------------------|---|
| IS 504 (Part 1 to 12): 2002 | Chemical analysis of aluminium and its alloys: Part 1 to 12 (second revision) |
| (Part 13 to 16): 2003 | Chemical analysis of aluminium and its alloys: Part 13 to 16 (second revision) |
| IS 1820 : 1979 | Recommended shapes, sizes and mass of aluminium notched bars and ingots for remelting purposes (first revision) |
| IS 5047 (Part 1): 1986 | Glossary of terms relating to aluminium and aluminium alloys: Part 1 Unwrought and wrought metals (second revision) |
| IS 10259: 1982 | General condition for delivery |

3 TERMINOLOGY

For the purpose of this standard, the following definition and the definitions given in IS 5047 (Part 1) shall apply.

and inspection of aluminium and aluminium alloy products

3.1 Scrap — Scrap means excess/rejected material produced during the manufacturing of similar grade primary aluminium products as mentioned in this standard.

3.2 Cast

- a) Product of one furnace melt; and
- b) Product of a number of furnace melts mixed prior to casting.

4 ORDERING INFORMATION

For the benefit of the purchaser, particulars to be

specified while ordering for the material to this specification shall be as following:

- a) Name of the material;
- b) Grade;
- c) Size and dimension;
- d) Quantity of material; and
- e) Other requirements, if any.

5 GRADES

The following four grades are covered in this standard (see Table 1):

- a) 1981 Ingots/billets/wire bars (Al 99.8 percent);
- b) 1971 Ingots/billets/wire bars (Al 99.7 percent);
- c) 1961 Ingots/billets/wire bars (Al 99.6 percent);
- d) 1951 Ingots/billets/wire bars (Al 99.5 percent).

6 SUPPLY OF MATERIAL

General requirements relating to the supply of material shall conform to IS 10259. The material shall be visibly free from slag or dross.

7 MANUFACTURE

- **7.1** The EC grade ingots/billets/wire bars shall be manufactured from primary aluminium.
- **7.2** Usage of scrap as defined in clause **3.1** is permitted.

8 SHAPES AND SIZES

- **8.1** Unless otherwise agreed, the shapes and sizes of ingots shall be in accordance with IS 1820.
- **8.2** Ingots, each weighing below 25 kg shall be stacked in a bundle weighing about in the range of 500 kg to 1 100 Kg each. The bundle shall be then strapped for ease of handling.
- **8.3** T-bars and sow ingots shall be sold as equivalent ingots with individual weights around 200 kg to 1 000 kg each. The shapes and size of T-bars and sow ingots are designed for ease of handling.
- **8.4** Shapes and sizes of billets and wire bars shall be as mutually agreed between the supplier and the purchaser.

9 CHEMICAL COMPOSITION

The material shall have the chemical composition as given in Table 1. The chemical composition shall be determined either by the method specified in IS 504

IS 4026 : 2023

(Part 1 to 12) and IS 504 (Part 13 to 16) or any other established instrumental/chemical method. In case of dispute the procedure specified in IS 504 (Part 1 to 12) and IS 504 Part (13 to 16) shall be the referee method. However, when the method is not given in IS 504 Part (1 to 12) and IS 504 (Part 13 to 16), the referee method shall be as agreed to between the purchaser and the supplier.

10 SELECTION OF SAMPLES FOR ANALYSIS

- **10.1** At least three samples randomly shall be selected throughput the casting process for each furnace batch.
- **10.2** Samples shall be obtained from one of the following methods:
 - a) Wherever possible, directly from the stream of metal filling the moulds midway through the pours; and
 - b) By milling or any other suitable method, and taken throughout the thickness of the ingot/billet/wire bar after the skin has been removed.

11 REJECTION AND RETEST

For the purpose of this standard, the test certification and rejection and retest clauses as given in IS 10259 shall apply.

12 PACKAGING

For the purpose of this standard, the following

packaging methods and those given in IS 10259 shall apply.

- **12.1** Ingots shall be strapped in bundles of weight around 1 MT.
- **12.2** Packaging of billets and wire bars shall be as mutually agreed between the supplier and the purchaser.

13 MARKING

- **13.1** The material shall be marked with the following:
 - a) Indication of the source of manufacture;
 - b) Grade designation, cast or lot or heat treatment batch number and size details;
 - c) Quantity; and
 - d) Date of manufacture.
- 13.2 The supplier shall furnish along with each consignment a certificate giving chemical composition of all the casts to which the ingots belong in that consignment.

13.3 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau* of *Indian Standards Act*, 2016 and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.

Table 1 Chemical Composition of EC Grade Aluminium Ingots, Billets and Wire Bars (*Clause* 9)

| Sl No. | Grade | 1981 | 1971 | 1961 | 1951 |
|--------|----------------|------|------|------|------|
| | Element | | | | |
| (1) | (2) | (3) | (4) | (5) | (6) |
| i) | Aluminium, Min | 99.8 | 99.7 | 99.6 | 99.5 |
| ii) | Silicon | 0.10 | 0.10 | 0.12 | 0.10 |
| iii) | Iron | 0.12 | 0.25 | 0.30 | 0.40 |
| iv) | Copper | 0.03 | 0.02 | 0.04 | 0.05 |
| v) | Manganese | 0.02 | 0.01 | 0.02 | 0.01 |
| vi) | Magnesium | 0.02 | 0.02 | 0.02 | - |
| vii) | Chromium | - | 0.01 | 0.01 | 0.01 |
| viii) | Zinc | 0.03 | 0.04 | - | 0.05 |
| ix) | Titanium | 0.02 | - | - | - |
| x) | Boron | - | 0.02 | - | 0.05 |
| xi) | Gallium | 0.03 | 0.03 | - | 0.03 |
| xii) | Zirconium | - | - | 0.01 | - |
| xiii) | Titanium + | 0.02 | 0.02 | - | 0.02 |
| | Vanadium | | | | |
| xiv) | Other elements | 0.01 | 0.02 | 0.02 | 0.03 |
| | (each) | | | | |
| xv) | Other elements | 0.1 | 0.1 | 0.1 | 0.1 |
| , | (Total) | | | | |

NOTE — Aluminium shall be determined by difference. Impurity levels specified above are maximum values unless otherwise specified.

ANNEX A (Foreword)

COMMITTEE COMPOSITION

Ores and Feedstock for Aluminium Industry, its Metals/Alloys and Products Sectional Committee, MTD 07

| CSIR | - | Institute | of | Minerals | and | Materials | I |
|------|---|-----------|----|----------|-----|-----------|---|

DR KALI SANJAY (Chairperson)

Technology, Bhubaneswar

Organization

Aeronautical Development Establishment, Bengaluru

SHRI G. S. RAVINDRA SHRI T. MOHAN REDDY (Alternate)

Representative(s)

Aluminium Association of India, Bengaluru

SHRI ANIL MATHEW

Aluminium Secondary Manufacturers Association, New Delhi

SHRI T. VIMAL RAJ (*Alternate*) SHRI NAVEEN PANT

Bharat Aluminium Company Limited, New Delhi

SHRI PRAVEEN DIXIT (Alternate)

MS ANJALI PAWAR SHRI JITENDRA KUMAR VERMA (*Alternate*)

Century Extrusions Limited, Kolkata SHRI V. JHUNJHUNWALA

SHRI SANJAY SINGH SEHRAWAT (Alternate)

Century Metal Recycling Limited, Faridabad

Jamshedpur

SHRI MOHAN AGARWAL

CSIR-Advanced Materials and Processes Research Institute, Bhopal

DR D. P. MONDAL

CSIR-National Metallurgical Laboratory,

DR KANAI SAHOO

DR V. C. SRIVASTAVA (Alternate)

Metallurgical Research Laboratory, Ministry of Defence, Hyderabad

DR G. JAGAN REDDY Dr S. N. Sahu (Alternate)

Defence Research and Development Establishment, CEMILAC, Bengaluru

DR SHIRISH KALE DR T. RAM PRABHU (*Alternate*)

Defence Research and Development Laboratory,

DR G. RAJA SINGH

Ministry of Defence, Hyderabad

DR N. A. ARUN (Alternate)

Directorate General Quality Assurance, New Delhi

SHRI K. SAHA SHRI AJAY KUMAR (*Alternate*)

Hindalco Industries Limited, Mumbai SHRI TUSHAR PANDA (Alternate)

DR VIVEK SRIVASTAVA

Hindustan Aeronautics Limited, Bengaluru

SHRI R. R. BHAT

Indian Space Research Organization, Bengaluru

DR S. K. GHOSH

Jawaharlal Nehru Aluminium Research Development and Design Centre, Nagpur

DR ANUPAM AGHINOTRI

Jindal Aluminium Limited, Bengaluru

SHRI R. N. CHAUHAN (Alternate)

Material Recycling Association of India (MRAI),

SHRI P. DEVARAJ (Alternate)

SHRI O. K. SHARMA

Mumbai

SHRI DHAWAL SHAH SHRI JAYANT JAIN (Alternate)

National Aluminium Company Limited. Bhubaneswar

SHRI S. NANDA

National Test House, Kolkata

DR NISHI SRIVASTAVA

SHRI BUDDH PRAKASH (Alternate)

Shriram Institute for Industrial Research, Delhi

SHRI P. K. KAICHER

SHRI B. GOVINDAN NAIR (Alternate)

IS 4026 : 2023

Organization

Representative(s)

Vedanta Limited, Mumbai

SHRI VIVEK SAXENA SHRI RAM SANDIPAM (*Alternate*)

BIS Directorate General

SHRI SANJIV MAINI, SCIENTIST 'F'/SENIOR DIRECTOR AND HEAD (METALLURGICAL ENGINEERING) [REPRESENTING DIRECTOR GENERAL (*Ex-officio*)]

Member Secretary
SHRI V. K. RAWAT
SCIENTIST 'D'/JOINT DIRECTOR
(METALLURGICAL ENGINEERING), BIS

This Pade has been Intentionally left blank

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.

This Indian Standard has been developed from Doc No.: MTD 07 (19563).

Amendments Issued Since Publication

| Amend No. | Date of Issue | Text Affected | |
|-----------|---------------|---------------|--|
| | | | |
| | | | |
| | | | |

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402 Website: www.bis.gov.in

| Regional Offices: | Telephones |
|---|------------------------|
| Central : 601/A, Konnectus Tower -1, 6 th Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002 | { 2323 7617 |
| Eastern : 8 th Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091 | 2367 0012 2320 9474 |
| Northern: Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019 | { 265 9930 |
| Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113 | 2254 1442 2254 1216 |
| Western: Plot No. E-9, Road No8, MIDC, Andheri (East), Mumbai 400093 | { 2821 8093 |

Branches: AHMEDABAD. BENGALURU. BHOPAL. BHUBANESHWAR. CHANDIGARH. CHENNAI. COIMBATORE. DEHRADUN. DELHI. FARIDABAD. GHAZIABAD. GUWAHATI. HIMACHAL PRADESH. HUBLI. HYDERABAD. JAIPUR. JAMMU & KASHMIR. JAMSHEDPUR. KOCHI. KOLKATA. LUCKNOW. MADURAI. MUMBAI. NAGPUR. NOIDA. PANIPAT. PATNA. PUNE. RAIPUR. RAJKOT. SURAT. VISAKHAPATNAM.